

## GMM20W Carbon Dioxide Module for OEM Applications



### Features/Benefits

- Incorporates the silicon based Vaisala CARBOCAP® Sensor
- Stable in terms of time and temperature
- Dust, water vapor or most chemicals do not affect the measurement accuracy of the sensor
- Small size enables easy integration into various systems

*The Vaisala CARBOCAP® Carbon Dioxide Module GMM20W is designed for OEM applications in benign environments.*

# Technical data

## Performance

### CARBON DIOXIDE MEASUREMENT

Measurement range	0 ... 2000 ppm (nominal; can be calibrated for other ranges: 0 ... 5000 ppm, 0 ... 10,000 ppm, 0 ... 20,000 ppm)
Accuracy (including repeatability, non-linearity and calibration uncertainty)	$\pm$ (2 % of range + 2% of reading)
Long-term stability	$\leq$ 5 % of range / 5 years
Response time (63%)	1 minute
Warm-up time	minute, 15 minutes full specifications
Weight	45 g

## Inputs and outputs

Outputs	0 ... 20 or 4 ... 20 mA and 0 ... 10 V
Resolution of analog outputs	8 bits
current output	max. 500 ohm
voltage output	min. 1 kohm
Operating voltage	nominal 24 VAC/DC (18 ... 30 VDC)
Power consumption	$<$ 2.5 W

## Operating environment


Temperature	-5 ... +45 °C (+23 ... +113 °F)
Humidity	0 ... 85 %RH, non-condensing
Electromagnetic compatibility	EN61326-1, Generic Environment

## Accessories and options

Display and relay option	GMI21
Relay output option	GMR20
Calibration software kit (disk and serial COM adapter)	19222GM
Analog temperature module* (not available when display option is added)	GMA20T

## Dimensions

Dimensions in mm



CARBOCAP® is a registered trademark of Vaisala.

# VAISALA

For more information, visit  
[www.vaisala.com](http://www.vaisala.com) or contact  
us at [sales@vaisala.com](mailto:sales@vaisala.com)

Ref. B210939EN-A ©Vaisala 2010  
This material is subject to copyright protection, with all  
copyrights retained by Vaisala and its individual partners. All  
rights reserved. Any logos and/or product names are trademarks  
of Vaisala or its individual partners. The reproduction, transfer,  
distribution or storage of information contained in this brochure  
in any form without the prior written consent of Vaisala is strictly  
prohibited. All specifications — technical included — are subject  
to change without notice.

